



### Benefits:

- V4A stainless steel AISI 316L
- Consequent hygienic design
- IP69K protection class
- Compact size
- Flexible camera positioning
- High chemical resistance
- Vibration-proof mounting
- Camera mount included
- Good heat dissipation



### Technical Details:

<b>Max. Camera Size</b> (w x h)	40 x 40mm 29 x 47mm
<b>Max. Lens Diameter</b>	55mm
<b>Inner Length</b>	148mm (S) 188mm (M) 218mm (L)
<b>Enclosure Dimensions</b> (D x L, without gland and 100mm handle)	63 x 167mm (S) 63 x 207mm (M) 63 x 237mm (L)
<b>Window Aperture</b>	45mm
<b>Standard Window Lid for Special Windows</b>	BK7, double sided AR Order Number: 80.005.017
<b>IR Mirror</b>	Order Number: 20.000.010
<b>Sapphire</b>	Order Number: 20.000.016
<b>Germanium</b>	Order Number: 20.000.017
<b>Acrylic, uncoated, FDA</b>	Order Number: 20.000.032
<b>Acryl, double sided AR</b>	Order Number: 20.000.029
<b>Window Seal</b>	EPDM
<b>Protection Class</b> (with hygiene cable gland)	IP69K

<b>Weight</b> (without camera mount, varies depending on exit)	Ca. 1360g (S) Ca. 1510g (M) Ca. 1710g (L)
<b>Enclosure Material</b>	Electro polished V4A stainless steel AISI 316L
<b>Enclosure Seals</b>	EPDM
<b>Sealing Area of the Hygiene Cable Gland</b>	M25: 15-18mm M32: 20-25mm (with M25 Adapter only)
<b>Cable Gland Seal</b>	PVDF



The mount guarantees good heat dissipation





## Cable Exit and Options



Order Number: 2X.X70.138 - Dolphin S, IP69K

- BK7 window
- M25 hygiene cable gland rear
- M25 blind plug sideways

Options:

- 80.007.002 hygienic tube 25x19mm, price per meter
- 80.005.014 surcharge for M25 hygiene blind plug sideways



Order Number: 2X.X71.138 - Dolphin S, IP69K

- BK7 window
- M25 hygiene cable gland rear
- M25 blind plug sideways

Options:

- 80.007.001 hygienic tube 18x13mm, price per meter
- 80.005.014 surcharge for M25 hygiene blind plug sideways



Order Number: 2X.X80.138 - Dolphin S, IP69K

- BK7 Fenster
- Closed rear wall
- M25 hygiene cable gland sideways

Options:

- 80.007.002 hygienic tube 18x13mm, price per meter



Order Number: 2X.X81.138 - Dolphin S, IP69K

- BK7 window
- Closed rear wall
- M32 hygiene cable gland sideways

Options:

- 80.007.002 hygienic tube 25x19mm, price per meter



Order Number: 2X.X82.138 - Dolphin S, IP69K

- BK7 window
- Closed rear wall
- M25 stainless steel blind plug sideways



### Order Numbers:

ID	Camera Height	Camera Length	Cable Exit	Cable Gland	Length
2	29: 0   30: 1   31: 2 32: 3   33: 4   34: 5 35: 6   36: 7   38: 8 40: 9	< 50mm: 3 < 74mm: 5 < 92mm: 7	rear: 7 side: 8	M25 hygiene IP69K: 0 M32 hygiene IP69K: 1 M25 standard IP66/IP67: 2 M25 extended IP66/IP67: 3	S: 138 M: 188 L: 218

Example: 20.370.138 - Dolphin, cam height =29mm, length <50mm, M25 hygiene gland rear, size S (top image)



The 30mm extension enables easier lens access




outboard of the machine  
(hygienically)

inside the machine  
(not hygienically)

The mount with M40 hygiene cable gland allows the housing handle to be mounted e.g. on a machine

### Accessories:


Product	Image	Order No.	Product	Image	Order No..	Product	Image	Order No..
Mount standard		80.006.006	M40 Gland Hygiene		80.005.005	M25 Nut M32 Nut		80.005.006 80.005.007
M32 Gland Hygiene		80.005.004	M25 Gland Hygiene		80.005.003	M40 Nut stainless St.		80.005.008
18x13 PUR Tube		80.007.001	25x19 PUR Tube		80.007.002	M25 Adapter		80.005.001
Mount with M40 Gland		80.006.000	30mm Dol. Extension		80.005.030	M32 Adapter		80.005.002
Position Ring		20.020.003	M25 Hyg. Blind Plug		80.005.010	Mounting Tool		80.006.101
			90° Tube-connector		80.006.002			




The hygiene building kit is coming soon!




Size S




Size M




Size L



Front Lids




Options for Side Exit



M25 Hygiene  
with Side Exit Adapter



PUR Tube 18x13




M32 Hygiene  
with M25 Adapter



PUR Tube 25x1



M25 Blind Plug




M25



M25 Extended




Options for Rear Exit



M25 Hygiene



PUR Tube 18x13



M32 Hygiene  
with M25 Adapter



PUR Tube 25x19

